

brevi reco
Rotary Cultivators



brevi
**Rotary
Cultivators**
recommended ✓

Quality and value you can trust

Proven, robust, efficient and cost-effective machinery from RECO comes with service and support that will never let you down.

So we are proud to represent Brevi, the Italian brand of cultivation machinery that in Europe has become synonymous with reliability – as well as outstanding quality and unbeatable value.

As the sole UK distributor of Brevi rotary cultivators, we are delighted to offer growers in this country the opportunity to benefit from machinery which is founded on advanced R&D that responds to the needs of the modern industry.

State-of-the-art production facilities, top quality manufacturing and specially sourced steel that combines high tensile strength with elasticity are also key Brevi components.

The highly competitive prices we are able to offer are backed by the rich manufacturing heritage of the Breviglieri (hence Brevi) family. In Italy, the name Breviglieri is associated with 'machines for working the soil'. Since 1949, the company has brought technical innovation to the task of working on the land. This latest range of rotary cultivators continues that tradition.



recommended ✓

Brevi Rotary Cultivators

Rotary cultivators represent the original product created by the Brevi company which have developed into the sophisticated range of machines available today.


Models are available from 0.85 to 3.0m working widths in fixed frame and up to 5.0m in the folding frame version.

Mini-range cultivators span 0.85 to 1.85m working widths for 10 to 60hp tractors and are fitted with a shearbolt PTO. These machines are particularly suited to working in orchards, nurseries, vineyards, parks and gardens.

Top range cultivators for 50 to 250hp tractors cover 1.55 to 3.0m working widths in fixed frame and up to 5.0m for folding frame, and fitted with a disc-clutch PTO.

With their Italian heritage, Brevi Rotary Cultivators are suited to working in extreme conditions such as difficult, dry, compact or stony soils, with or without high levels of residue and designed to meet the working needs of both farmers and contractors.





The Brevi range of Rotary Cultivators have evolved over the years to have the following unique characteristics which offer you a reliable and strong product whatever the size or duty:

- **Rigid construction** a box section frame with double hood and strong tubular side supports for the main gearboxes gives a heavy duty frame capable of withstanding the shock loads experienced in all types of conditions.
- **Floating front hitches** makes connection to the tractor simple and allows the unit to follow the ground contours easily.
- **Water and dust-proof seals** for all blade rotor support bearings. On larger machines a 'cassette-type' seal is used for extra protection – a critical requirement in difficult soil conditions or under strong loads. Brevi have learnt this from their many years of experience and have perfected the art of ensuring rotor bearing protection.
- **Strong and reliable gearboxes** The gearboxes are manufactured in house or by Comar with whom Brevi have a very strong commercial and engineering relationship.
- **High clearance between the rotor blades and upper hood** this ensures that all Brevi Cultivators will work fast, with a large throughput of soils without blocking.
- **Choice of rotor blades and rotors*** ensures that the machine can be set up to be suitable to work in the conditions that match your requirements.

*B170 V only.

B170 V/B250 V

B170 V

A versatile machine that is available with either 'C', 'L' or 'Flash' blades thus increasing the versatility of the cultivator for use in a variety of conditions.

Suitable for use with 70 – 170hp, the B170 is available in 2.5, 2.8 and 3.0 m working widths.

The B170 V features a heavy duty Brevi cast multi-speed gearbox as standard and cassette style seal and labyrinth assembly to protect the rotor shaft bearing.

Supplied with a side gear drive in oil bath, choice of skids and a 450mm crumbler or 464mm packer roller.

B250 V

Available in 2.5 or 3.0m widths, the B250 V is suitable for use with 100–200hp.

The B250 V benefits from many of the same features as the B170 V and is ideal for large farmers and contractors looking for a heavy duty robust model suitable for larger tractors.



B170 V Technical data

Model	PTO speed	Rotor speed	Tractor power	Weight	Crumbler roller	Packer roller	Width (work)	Width (transport)	Tines	Cultivation depth
	rpm	rpm	hp	+ hood kg						
B170 V 2.5m	1000	244/303/338	70-120	940	1080	1240	250	270	60	10-20
B170 V 2.8m	1000	244/303/338	90-140	1020	1160	1330	280	300	66	10-20
B170 V 3.0m	1000	244/303/338	100-170	1100	1240	1420	300	320	72	10-20





reco

Options available

Front wheels

Side disc kit

Eradicator tines

Hydraulic seed linkage

Hydraulic rear roller adjustment

Skids for rear roller machine (B170 V and B170 V Flash only)

Hood leveller (skid machine only)



B250 V Technical data

	PTO speed	Rotor speed	Tractor power	Weight			Width (work)	Width (transport)	Tines	Cultivation depth
				+ hood	Crumbler roller	Packer roller				
Model	rpm	rpm	hp	kg			cm	cm	n.	cm
B250 V 2.5m	1000	207/230/286	100-140	1160	1240	1440	250	275	60	10-20
B250 V 3.0m	1000	207/230/286	170-200	1320	1400	1600	300	325	72	10-20



reco

agricultural & groundcare machinery

brampton road, huntingdon, cambs, pe29 3bs

01480 455151

sales@reco.co.uk

www.reco.co.uk

