

**brevi reco**  
**Rotary Cultivators**



**brevi**  
**Rotary  
Cultivators**  
**reco**mmended ✓

## Quality and value you can trust

Proven, robust, efficient and cost-effective machinery from RECO comes with service and support that will never let you down.

So we are proud to represent Brevi, the Italian brand of cultivation machinery that in Europe has become synonymous with reliability – as well as outstanding quality and unbeatable value.

As the sole UK distributor of Brevi rotary cultivators, we are delighted to offer growers in this country the opportunity to benefit from machinery which is founded on advanced R&D that responds to the needs of the modern industry.

State-of-the-art production facilities, top quality manufacturing and specially sourced steel that combines high tensile strength with elasticity are also key Brevi components.

The highly competitive prices we are able to offer are backed by the rich manufacturing heritage of the Breviglieri (hence Brevi) family. In Italy, the name Breviglieri is associated with 'machines for working the soil'. Since 1949, the company has brought technical innovation to the task of working on the land. This latest range of rotary cultivators continues that tradition.



**recommended** ✓

# Brevi Rotary Cultivators

Rotary cultivators represent the original product created by the Brevi company which have developed into the sophisticated range of machines available today.


Models are available from 0.85 to 3.0m working widths in fixed frame and up to 5.0m in the folding frame version.

Mini-range cultivators span 0.85 to 1.85m working widths for 10 to 60hp tractors and are fitted with a shearbolt PTO. These machines are particularly suited to working in orchards, nurseries, vineyards, parks and gardens.

Top range cultivators for 50 to 250hp tractors cover 1.55 to 3.0m working widths in fixed frame and up to 5.0m for folding frame, and fitted with a disc-clutch PTO.

With their Italian heritage, Brevi Rotary Cultivators are suited to working in extreme conditions such as difficult, dry, compact or stony soils, with or without high levels of residue and designed to meet the working needs of both farmers and contractors.





The Brevi range of Rotary Cultivators have evolved over the years to have the following unique characteristics which offer you a reliable and strong product whatever the size or duty:


- **Rigid construction** a box section frame with double hood and strong tubular side supports for the main gearboxes gives a heavy duty frame capable of withstanding the shock loads experienced in all types of conditions.
- **Floating front hitches** makes connection to the tractor simple and allows the unit to follow the ground contours easily.
- **Water and dust-proof seals** for all blade rotor support bearings. On larger machines a 'cassette-type' seal is used for extra protection – a critical requirement in difficult soil conditions or under strong loads. Brevi have learnt this from their many years of experience and have perfected the art of ensuring rotor bearing protection.
- **Strong and reliable gearboxes** The gearboxes are manufactured in house or by Comar with whom Brevi have a very strong commercial and engineering relationship.
- **High clearance between the rotor blades and upper hood** this ensures that all Brevi Cultivators will work fast, with a large throughput of soils without blocking.
- **Choice of rotor blades and rotors\*** ensures that the machine can be set up to be suitable to work in the conditions that match your requirements.

\*B170 V only.

# Brevi Folding Cultivator

The only folding rotary cultivator in the RECO Brevi range, the Doble is based on the same quality build-specification that is seen throughout the Brevi range of machines.

Available in working widths up to 5m, the Doble offers a cost-effective option for the preparation of larger fields and is supplied as standard with either a 450mm Ø crumbler or 500mm Ø packer roller.




# Doble

reco

### Options available

Side disc kit

Eradicator tines



### Doble Technical data

Model	PTO speed rpm	Rotor speed rpm	Tractor power hp	Weight			Width (work) cm	Width (transport) cm	Tines n.	Cultivation depth cm
				+ hood kg	Crumbler roller kg	Packer roller kg				
Doble 3.6m	1000	258	150-200	2040	2390	2720	360	252	84	10-20
Doble 4.0m	1000	258	180-220	2155	2500	2840	400	252	96	10-20
Doble 4.6m	1000	258	200-230	2310	2655	3000	460	252	108	10-20
Doble 5.0m	1000	258	220-250	2400	2760	3200	500	252	120	10-20



**reco**

agricultural & groundcare machinery

brampton road, huntingdon, cambs, pe29 3bs

01480 455151

sales@reco.co.uk

**[www.reco.co.uk](http://www.reco.co.uk)**

